+ +	Alliance	e Analytical Laboratories, Inc.	A	
	(	79 West Randall Street Coopersville, MI 49404 Phone: (616) 837-7670 Fax: (616) 837-7701	A C C R E D I T ISO/IEC 17025 TESTING LABORATOR	B Y
		TEST RESULTS REPORT	Test methods marked with ^ a under the laboratory's ISO/ accreditation issued by ANSI- Accreditation Board. Refer to scope of accreditation A	IEC 17025 ASQ National certificate and
CUSTOMER	The Evergreen Tree 4012 S. Rainbow Blvd. Las Vegas, NV 8903 Phone: 702-861-2045 Email: customerservice	@theevergreentree.com;		
SAMPLE DESCRIPTION	Kratom White CV-03 SD 04/29/20		Kinter usire C(=2)	
SAMPLE DATE	4/29/2020			
DATE RECEIVED	5/4/2020		L268 Modern	
REFERENCE NUMBER	200162: 2016268	Customer PO	71972	
TEMPERATURE AT RECE	EIVING			
Test Requested	Test Method	Results	Ref Number	Start Date
Mitragynine		1.79 %	DF02:97	5/5 8:54 AM

Reviewed and Approved by:

( Muchi Boldure

Analyst: 42

Andrea Balduck - Laboratory Manager

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement. Test results apply to the sample as received. THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION PURSUANT TO 5 U.S.C.(b)(4) This report must not be reproduced, except in full, without written approval of the laboratory.

Date: 5/7/2020

Page 1 of 1

5/7/2020

Date:

## SAMPLE SUBMITTAL FORM

## Alliance Analytical Laboratories Inc. 179 West Randall Street Suite A Coopersville, MI 49404

5 B the evergreen tree.com Special Reporting Requirements
Special Reporting Requirements
listed
Form 33 Rev. 9