

**Alliance Analytical Laboratories, Inc.**

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701

**TEST RESULTS
REPORT**

Test methods marked with ^ are accredited
under the laboratory's ISO/IEC 17025
accreditation issued by ANSI-ASQ National
Accreditation Board. Refer to certificate and
scope of accreditation AT-2044

CUSTOMER The Evergreen Tree
4012 S. Rainbow Blvd.
Las Vegas, NV 8903
Phone: 702-861-2045
Email: customerservice@theevergreentree.com;

SAMPLE DESCRIPTION Kratom Red Lot 032620 TR-02
SD NA

SAMPLE DATE

DATE RECEIVED 4/3/2020

REFERENCE NUMBER 200123: 2012350 **Customer PO**

TEMPERATURE AT RECEIVING



| Test Requested | Test Method | Results | Ref Number | Start Date |
|----------------|-------------|---------|------------|-------------|
| Mitragynine | Analyst: 42 | 2.61 % | DF02:75 | 4/6 1:32 PM |

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.
Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION
PURSUANT TO 5 U.S.C.(b)(4)**

This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by:

Andrea Baldock - Laboratory Manager

Date: 4/7/2020

Date: 4/7/2020

