

**Alliance Analytical Laboratories, Inc.**

179 West Randall Street  
Coopersville, MI 49404  
Phone: (616) 837-7670  
Fax: (616) 837-7701

**TEST RESULTS  
REPORT**

Test methods marked with ^ are accredited  
under the laboratory's ISO/IEC 17025  
accreditation issued by ANSI-ASQ National  
Accreditation Board. Refer to certificate and  
scope of accreditation AT-2044

**CUSTOMER** The Evergreen Tree  
4012 S. Rainbow Blvd.  
Las Vegas, NV 8903  
Phone: 702-861-2045  
Email: customerservice@theevergreentree.com;

**SAMPLE DESCRIPTION** Kratom Green Lot 07272020 CV-03-G  
SD NA

**SAMPLE DATE**

**DATE RECEIVED** 7/31/2020

**REFERENCE NUMBER** 200286: 2028664 **Customer PO**

**TEMPERATURE AT RECEIVING**



Test Requested	Test Method	Results	Ref Number	Start Date
Mitragynine		2.59 %	200003:48	7/31 2:52 PM
	Analyst: 42			

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.  
Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION  
PURSUANT TO 5 U.S.C.(b)(4)**

**This report must not be reproduced, except in full, without written approval of the laboratory.**

Reviewed and Approved by:

Andrea Baldock - Laboratory Manager

Date: 8/4/2020

Date: 8/4/2020

Analytical Test Request KEY

Please call 616-837-7670 if you require a test not listed

T-6 Mitragynine	\$80.00
T-7 7-Hydroxymitragynine	\$80.00
T-8 Heavy metals	\$115.00

P1 \$130.00

P2 \$230.00

Mitragynine, 7 hydroxymitragynine, Heavy metals

P3 \$330.00

Total Aerobic Plate Count, E.coli, coliform, Yeast, Mold, *Listeria* sp, *Salmonella*, mitragynine, 7-hydroxymitragynine, and heavy metals

Date/Time Received \_\_\_\_\_ Temp (°F) \_\_\_\_\_ Sample Condition \_\_\_\_\_ Initials \_\_\_\_\_

Form 33 Rev. 9  
Effective Date 4/5/17